L Number	Hits	Search Text	DB	Time stamp
1	221	request$4 same (recov$5 near4 files)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
2	1703	(fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
3	1703	(fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
4	38	(recov$5 near4 (fail$4 near3 database)) and (request$4 same (recov$5 near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
5	36	(((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
6	221	request$4 same (recov$5 near4 files)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
7	13057	encrypt$4 near3 key	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
8	11	(request$4 same (recov$5 near4 database)) and ((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
9	40	(recov$5 near3 database) and (encrypt$4 near3 (database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
10	695	(re-encrypt$4) or (reencrypt$4)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
11	71	key and (request$4 same (recov$5 near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
12	1281914	(request$4 or access$4)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:32
13	40	((recov$5 near3 database) and (encrypt$4 near3 (database))) and ((request$4 or access$4))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:32
14	35	((((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5) and (encrypt$4 near3 key)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:33
15	1413	380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:49
16	730	713/165.ccls. or 713/189.ccls. or 713/193.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:50
17	290	705/50.ccls. or 705/59.ccls. or 705/71.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51
18	5899	707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51
19	8096	(380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51

20	26	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and ((recov$5 near4 (fail$4 near3 database)) and (request$4 same (recov$5 near4 database)))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
21	4	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and ((request$4 same (recov$5 near4 database)) and ((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
22	60	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (request$4 same (recov$5 near4 files))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
23	60	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (request$4 same (recov$5 near4 files))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
24	9	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and ((((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
25	32	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls.or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (key and (request$4 same (recov$5 near4 database)))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
-	946	recov$5 near4 database	USPAT	2004/07/01 12:38

-	124	request$4 same (recov$5 near4 database)	USPAT	2004/07/07 13:24
-	69	key and (request$4 same (recov$5 near4 database))	USPAT	2004/07/09 11:31
-	172	recovery adj2 server	USPAT	2004/07/01 12:08
-	1063	fail$4 near3 database	USPAT	2004/07/07 13:22
-	16	(recovery adj2 server) and (fail$4 near3 database)	USPAT	2004/07/01 12:05
-	23014	encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4	USPAT	2004/07/01 12:33
-	5	((recovery adj2 server) and (fail$4 near3 database)) and (encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4)	USPAT	2004/07/01 12:05
-	24	recovery adj2 server near5 request$4	USPAT	2004/07/01 12:33
-	702	(encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database	USPAT	2004/07/01 12:34
-	44	((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)	USPAT	2004/07/08 12:35
-	10	(request$4 same (recov$5 near4 database)) and ((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database)	USPAT	2004/07/09 11:30
-	247	corrupt$4 near3 database	USPAT	2004/07/01 12:47
-	69	(recov$5 near4 database) and (corrupt$4 near3 database)	USPAT	2004/07/01 12:48
-	20	((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and ((recov$5 near4 database) and (corrupt$4 near3 database))	USPAT	2004/07/07 09:58
-	712796	(request$4 or access$4)	USPAT	2004/07/09 11:32
-	1307	(fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database	USPAT	2004/07/09 11:29
-	23089	encrypt$4 or cipher$4 or encipher$4 or decrypt$4 or decipher$4	USPAT	2004/07/07 10:09
-	13	(((request$4 or access$4)) near5 ((fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database)) and (encrypt$4 or cipher$4 or encipher$4 or decrypt$4 or decipher$4)	USPAT	2004/07/07 10:10
-	108	((request$4 or access$4)) near5 ((fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database)	USPAT	2004/07/07 10:16
-	830	recov$5 near3 database	USPAT	2004/07/07 10:16
-	21	(recov$5 near3 database) near5 request$5	USPAT	2004/07/07 10:23
-	494	encrypt$4 near3 (database)	USPAT	2004/07/07 10:26
-	39	(recov$5 near3 database) and (encrypt$4 near3 (database))	USPAT	2004/07/09 11:31
-	0	(reencrypt$4 or re-encrypt$4) near4 ((fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database)	USPAT	2004/07/07 10:48
-	1	(reencrypt$4 or re-encrypt$4) same ((fail$5 or corrupt$5 or tamper$5 or taint$4 or infect$5) near3 database)	USPAT	2004/07/07 10:49
-	17	(reencrypt$4 or re-encrypt$4) near3 database	USPAT	2004/07/07 10:49
-	1067	fail$4 near3 database	USPAT	2004/07/07 13:22
-	224	recov$5 same (fail$4 near3 database)	USPAT	2004/07/07 13:23
-	138	recov$5 near5 (fail$4 near3 database)	USPAT	2004/07/07 13:23

–	136	recov$5 near4 (fail$4 near3 database)	USPAT	2004/07/07 13:28
–	125	request$4 same (recov$5 near4 database)	USPAT	2004/07/07 14:05
–	34	(recov$5 near4 (fail$4 near3 database)) and (request$4 same (recov$5 near4 database))	USPAT	2004/07/09 11:29
–	10	authenticat$5 and (recov$5 near4 (fail$4 near3 database))	USPAT	2004/07/07 13:47
–	37497	(permission or authoriz$4)	USPAT	2004/07/07 13:48
–	12	(request$4 same (recov$5 near4 database)) same ((permission or authoriz$4))	USPAT	2004/07/07 13:48
–	167	request$4 same (recov$5 near4 files)	USPAT	2004/07/09 11:30
–	13	((permission or authoriz$4)) same (request$4 same (recov$5 near4 files))	USPAT	2004/07/07 14:04
–	3628	(fail$4 or corrupt$5) near4 (database or data-base or files)	USPAT	2004/07/07 14:05
–	30	request$4 same (recov$5 near4 ((fail$4 or corrupt$5) near4 (database or data-base or files)))	USPAT	2004/07/07 14:09
–	3	(request$4 same (recov$5 near4 ((fail$4 or corrupt$5) near4 (database or data-base or files)))) and authenticat$5	USPAT	2004/07/07 14:36
–	526	(re-encrypt$4) or (reencrypt$4)	USPAT	2004/07/09 11:31
–	37	((re-encrypt$4) or (reencrypt$4)) near4 (database or files)	USPAT	2004/07/08 08:09
–	44	((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)	USPAT	2004/07/08 12:36
–	36	(((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5	USPAT	2004/07/09 11:30
–	36	(((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5	USPAT	2004/07/08 15:29
–	6668	encrypt$4 near3 key	USPAT	2004/07/09 11:30
–	35	((((encrypt$4 or cipher$4 or encipher$4 or decipher$4 or decrypt$4) near4 database) and (fail$4 near3 database)) and random$5) and (encrypt$4 near3 key)	USPAT	2004/07/09 11:32

Google

recovery server and key database   Search   Advanced Search
                                                                  Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1** - **10** of about **695,000** for <u>recovery **server** and **key** database</u>. (0.41 seconds)

Windows **Server** 2003 PKI **Key** Archival and **Recovery**
... and centralized private **key** archival and **recovery** in the ... KMS in
an Exchange 2000 **Server**
environment and ... 2003, you must migrate the KMS **key** archival
database to ...
www.winnetmag.com/Article/ArticleID/41281/41281.html -
Similar pages

Windows **Server** 2003 PKI **Key** Archival and **Recovery**
... To export the **recovery** data from the CA **database**, the
KRA ... GUI, the KRA must use the
Microsoft Windows **Server** 2003 Resource Kit's **Key Recovery**
tool (krt ...
www.winnetmag.com/Windows/
Articles/ArticleID/41281/pg/2/2.html - Similar pages
[More results from www.winnetmag.com]

Access password **recovery Key** - for **databases**, MDB files and user ...
... Internet Explorer **Key** and Outlook Express **Key** now work on
Windows 2003 **Server**.
Passware now offers two versions of its password **recovery** software pack ...
www.lostpassword.com/access.htm - 19k - Cached - Similar pages

Recover the master **database** in SQL **Server**
... of a disaster, you can add these techniques to your disaster **recovery** plan. ... Linux
or Windows based web **server**? ... Changing the product **key** on Windows XP 6/7/04. ...
techrepublic.com.com/5100-6268-5025441.html - 41k - Cached - Similar pages

Contents
... Client: MQI Channel Directory. TPF MQSeries **Server**; TPF MQSeries ... How the TPF **Recovery**
Log Is Used by TPF ... Using Cursors with Alternate **Key** Paths; Cursor Positioning; ...
publib.boulder.ibm.com/infocenter/tpfhelp/ topic/com.ibm.tpf.doc.4.1-PUT18/gtpa2/gtpa2m02.htm - 46k -
Cached - Similar pages

Learn About SQL **Server** Disaster **Recovery** from Greg Robidoux
... for keywords on search engines will reveal a lot of information specific to SQL **Server**
as well as ... These two areas are **key** to Disaster **Recovery**, but also to ...
www.sql-server-performance.com/ greg_robidoux_interview.asp - 33k - Cached - Similar pages

Exchange **Server** Data **Recovery** of corrupted Exchange error **database**
... JET_errKeyDuplicate Illegal duplicate **key**" is another ... 4. The Exchange **Server** Jet
Engine is corrupt. Running **recovery** tools and **database** repair tools will only ...
www.datarecoveryclinic.com/ Exchange_server_data_recovery.htm - 16k - Cached - Similar pages

Exchange **Server** Data **Recovery** repair of corrupted priv priv1 db ...
... every kind of Jet error such as: "JET_errRecordNotFound, the **key** was not ... can not mount
the information store then you need Exchange **server** data **recovery**! ...

h   g   g e c   e ch h e   e   ec   e   e e   e   b   e b

www.exchangerecoveryclinic.com/ - 27k - Cached - Similar pages

SQL LiteSpeed - advanced **database** backup and **recovery** software
... of experience in providing complete SQL **Server** solutions to ... With 128-bit secret **key**
encryption, SQL LiteSpeed offers the most secure **database** backups available ...
www.skilledsoftware.com/sqllitespeed_details.htm - 18k - Cached - Similar pages

Database solutions at their finest
... to assist in your backup and **recovery** processes. ... Management Process for your SQL
Server environments including ... code releases and documentation, **key** to Change ...
www.edgewoodsolutions.com/resources/presentations.asp - 33k - Jul 8, 2004 - Cached - Similar pages

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

recovery server and key databas   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h   g g e c   e ch h e   e   ec e   e e   e   b e b

Google

recovery server and encryption | Search | Advanced Search
                                                     Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results **1 - 10** of about **296,000** for **recovery server and encryption**. (**0.86** seconds)

<u>283223 - **Recovery** of Encrypted Files on a **Server**</u>
... Remote **encryption** of files on a **server** introduces new challenges in
disaster **recovery** that require administrators to take steps to preserve the
ability of ...
support.microsoft.com/default. aspx?scid=kb;en-us;283223&sd=tech - 13k -
Cached - Similar pages

<u>143475 - Windows NT System Key Permits Strong
Encryption of the ...</u>
... If the desired **recovery** system configuration is Windows NT
Server 4.0 with the ... the System Key hotfix, and you have not
enabled strong **encryption**, if you ...
support.microsoft.com/default. aspx?scid=kb;en-us;143475&sd=tech
- 27k - Cached - Similar pages
[More results from support.microsoft.com]

<u>NovaStor - System Backup, Data Restore & Disaster **Recovery** ...</u>
... Open File Management. · NovaBACKUP **Server** Edition. · TapeCopy. ... Small & Micro
Business. Backup and disaster **recovery** for businesses from 1 to 20 people. ...
www.novastor.com/ - 31k - Jul 7, 2004 - Cached - Similar pages

<u>How to Break Netscape's **Server** Key **Encryption** from University of ...</u>
... The Netscape **server** key format is very susceptible to both a dictionary attack and to
keystream **recovery**. ... that PKCS #5 password-based **encryption** be used ...
uk.builder.com/whitepapers/ 0,39026692,60027218p-39000942q,00.htm - 10k -
Cached - Similar pages

<u>Relevant Technologies: The CyberAngel: Laptop **Recovery** and File ...</u>
... Figure 1. Selecting Your **Encryption** Algorithm During Installation After the CyberAngel ...
the Cyberangel initiated a call back to the **recovery server** to alert it ...
www.relevanttechnologies.com/cyber_110403.asp - 23k - Cached - Similar pages

<u>**Server** Data **Recovery**,**Server** Data **Recovery** Software,**Server** Data ...</u>
Upgrade Unistal's Anti Virus S/w on Line. How to Upgrade UAV? 1. UAV DOS
diskette/Rescue Disk/Emergency Disk upgrade. Please download ...
www.unistal.com/online_upgd.php - 15k - Jul 8, 2004 - Cached - Similar pages

<u>WinMagic Hard Disk **Encryption** - The most secure and versatile disk ...</u>
... secure Web-based password **recovery** procedures, with an ... WinMagic equips its Disk
Encryption products with ... Protection: SecureDoc Enterprise **Server** in conjunction ...
www.winmagic.com/product_info/sdent/index.asp - 21k - Cached - Similar pages

<u>Cryptography & **Encryption**</u>
... number called the FEK (File **Encryption** Key) using ... The LSAS (Local Security
Authority **Server**) decrypts files ... private key or decrypting the **recovery** agent's FEK ...
www.wilsonmar.com/1crypto.htm - 44k - Cached - Similar pages

<u>Email **Recovery** Tool Exchange Outlook E-mail Free Data **Recovery** ...</u>
... used to **recover** more than 75,000 hard drives, **servers**, mp3 players ... **Recovery**
Software, Email Hoax Virus, Email **Recovery** Tool File **Encryption** Tools Freeware ...

h   g g e c   e ch h e   e   ec e   e e   e c

www.all-internet-security.com/email_**recovery**_tool.html - 21k - Jul 8, 2004 -
Cached - Similar pages

Web **Server** Certificates from DigiCert™ Digital Certificates SSL ...
... other security applications like **encryption** for Internet ... authentication with SSL secure
server certificates which ... **Recovery** Procedures The required actions to ...
www.digicert.com/ssl-certificates/r.htm - 14k - Cached - Similar pages

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

recovery server and encryption   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h   g   g e c   e ch h e   e   ec   e   e e   e c

Google

database recovery and key database   Search   Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **1,550,000** for <u>database</u> <u>recovery</u> and <u>key</u> <u>database</u>. (**0.41** seconds)

Access password **recovery Key** - for **databases**, MDB files and user ...
Access **Key** is a program to **recover** passwords for MS Access **databases**. Features. All versions of MS Access are supported (including ...
www.lostpassword.com/access.htm - 19k - Cached - Similar pages

Sponsored Links

Database Recovery
Address Critical Backup & **Recovery**
Issues Facing Your Company Today.
ca.com/db

See your message here...

IMS **Database Recovery** Facility for z/OS, V2.1 - Add-on Overview ...
... Service for z/OS, contains all the features and functions of that product, and adds several **key** features including IMS **Database Recovery** Facility initiation by ...
www-306.ibm.com/software/data/ db2imstools/imstools/imsonlinerecov.html - 22k -
Cached - Similar pages

DB2 for Linux, OS/2, Windows and UNIX Technical Support
... Log Archiving Identity Column Support Larger Index **Key** Externalized Savepoint ...
Enhancements Encrypting and Decrypting String Data **Database Recovery** Suspended I ...
www-306.ibm.com/cgi-bin/db2www/data/db2/
udb/winos2unix/support/document.d2w/report?fn=db2q0e71frm3toc.htm - 53k -
Cached - Similar pages
[More results from www-306.ibm.com]

Microsoft Access Programmers & Consultants of **Database** Design ...
Microsoft Access Consultants MS Access **Database** Programmers. Maryland Access developers: programmers of custom **database** applications. ...
www.blueclaw-db.com/ - 22k - Jul 7, 2004 - Cached - Similar pages

Access Password **Recovery Key** free download by Passware: Easy to ...
... Password **recovery** tool for MS Access **Databases** (.MDB), Workgroup ... Security problems maintaining a **database**? ... Access **Key** solves those problems in seconds. ...
www.softpile.com/Utilities/ Password_Recovery/Review_05355_index.html - 21k -
Cached - Similar pages

Access Password **Recovery Key** free download by Passware: Access ...
... Description: Access **Key** is a program to **recover** passwords for MS Access **databases**. The program features state of the art password ...
www.softpile.com/Utilities/ Password_Recovery/Review_18099_index.html - 21k -
Cached - Similar pages
[More results from www.softpile.com]

InfoStor - Performing Oracle and SQL Server **database recovery**
... to perform **recovery**. The **key** to this strategy is using a comprehensive availability approach. By implementing a highly available **database** infrastructure, the ...
is.pennnet.com/Articles/ Article_Display.cfm?
Section=OnlineArticles&SubSection=Display&PUBLICATION... - Similar pages

Microsoft Exchange 2000 Server **Database Recovery**
... delete the Restore in Progress **key** before hard **recovery** finishes, and without the presence of that **key**, the **database** service runs normal soft **recovery**. ...
www.microsoft.com/technet/prodtechnol/ exchange/2000/support/dbrecovr.mspx - 101k -

h   g   g e c   e ch h e   e   b   e ec   e   e   b

Cached - Similar pages

Windows Server 2003 PKI **Key** Archival and **Recovery**
... For more information about this process, see the sidebar "Migrating the Exchange KMS
Database.") Windows 2003 **key** archival and **recovery** build on the KMS concept ...
www.winnetmag.com/Article/ArticleID/41281/41281.html - Similar pages

RMAN Commands , 45 of 59
... TO INCARNATION , then the connection to the target **database** and **recovery** catalog
fails due to ... Specify the primary **key** of the DBINC record for the **database** ...
www.cise.ufl.edu/help/**database**/ oracle-docs/server.920/a96565/rcmsynta45.htm -- 15k --
Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| database recovery and key datab | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h   g g e c   e ch h e   e   b e ec e   e   b

Web   Images   Groups   News   Froogle   **more »**

database recovery and encryption or ciphe   Search   Advanced Search
Preferences

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **714** for database recovery and encryption or ciphering. (0.37 seconds)

Freeware World Team
... shreds) sensitive and private files beyond **recovery**. ... decryption
program that uses Secret-Key **Encryption**. ... onwer domain" in the
registration domain **database**.. ...
www.all4you.dk/FreewareWorld/ links.php?page=4&cat=006 - 65k - Jul 8,
2004 - Cached - Similar pages

[PDF] Microsoft PowerPoint - Presentation Security in GSM
GPRS 3GPP ...
File Format: PDF/Adobe Acrobat - View as HTML
... AuC) **Database** of identification and authentication **Database** of
identification ... Negotiation of a weak **encryption** algorithm Break A5/2 to
recover Kc, then ...
lasecwww.epfl.ch/securityprotocols/gsm/Presentation_
Security_in_GSM_GPRS_3GPP_Tahar_Ktari_David_Mayor.pdf -
Similar pages

Security Interface for Berkeley DB
... their data for additional error detection (without **encryption**/decryption).
... the password be logged in order for **recovery** to be able to restore the
database. ...
www.opensource.apple.com/darwinsource/ 10.3/BerkeleyDB-
6/db/crypto/crypto.html - 39k - Cached - Similar pages

[RTF] Seminar on Data Management for Mobile Computing
File Format: Rich Text Format - View as HTML
... user data compression, header compression and **encryption** algorithms may ... Selected
ciphering algorithm. ... Indicates if HLR or VLR is performing **database recovery**. ...
www.cs.jyu.fi/~veijalai/ mobilecomputing99/katrisipilainen220499.rtf - Similar pages

EP patents matching keyword 'encryption'
... EP101636, Method of synchronising **encryption** and decryption during the ...
EP1145151, Method and system for **database**-driven, scalable ... EP891055, Key **recovery**
system. ...
gauss.bacon.su.se/indices/keyword/80/ - 78k - Cached - Similar pages

NHS Information Authority - Implementing National Standard ...
... **Encryption** and digital stamping software which has been provided ... a revocation is
requested via the Tracking **Database**. ... is stolen and a disaster **recovery** plan is ...
www.nhsia.nhs.uk/pathology/pages/crypto_overview.asp - 35k - Jul 8, 2004 -
Cached - Similar pages

Privateline.Com: GSM/PCS by John Scourias with comments by Tom ...
... engaged in a Call; Current cell; **Encryption** keys. ... Therefore, the **database** is updated
as location updating ... off between signalling traffic and speed of **recovery**. ...
www.privateline.com/PCS/GSM11.html - 34k - Cached - Similar pages

Torry's Delphi Pages
... BLOB data Compression;; Supports **database Encryption**, and CRC32 ... compact string

h   g g e c   e ch h e   e   b   e   ec   e   e c

fields, automatic **recovery** from system ... that can share **database** tables between ...
swiss.torry.net/db_custom.htm - 62k - Cached - Similar pages

Traveling the Electronic Highway: Security
... in a society where access to massive **databases** is rapid ... In-line **encryption** is now
feasible at little or no loss. ... Also neeeds **recovery** of lower level node dies. ...
www-db.stanford.edu/pub/gio/CS99I/security.html - 58k - Cached - Similar pages

Chaotic Circuits for Communication
... or transferred to any other **database** or retrieval ... Experimental verification of chaotic
encryption of audio ... an inverse mapping is exploited for data **recovery**. ...
www.spie.org/web/abstracts/2600/2612.html - 25k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

database recovery and encryptio | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h   g g ec   e ch h e   e   b e ec e   e c